Fluid Phase Equilibria, 87 (1993) 391–392
Elsevier Science Publishers B.V., Amsterdam

Contents Volume 87 (1993)

Volume 87, No. 1

Preface ix

Radial distribution functions and their role in modeling of mixtures behavior
G.A. Mansoori (Chicago, IL, USA)..... 1–22
Application of equations of state and the theory of group solutions to phase equilibrium prediction
G. Soave (San Donato Milanese, Italy)..... 23–35
Simultaneous representation of vapour–liquid equilibria and excess enthalpies of methanol–hydrocarbons systems using an equation of state
C. Lichtenstein, E. Rauzy and C. Berro (Marseille, France)..... 37–51
Representation and prediction of thermophysical properties of heavy hydrocarbons
L. Coniglio, E. Rauzy and C. Berro (Marseille, France)..... 53–88
Characterization of highly boiling hydrocarbons with very low pressure data
M. Rogalski, L. Schuffenecker (Nancy, France), E. Neau, J.-N. Jaubert (Marseille, France) and J. Jose (Villeurbanne, France)..... 89–98
Critical properties of the N_2 +, CH_4 +, and C_2H_6 + *n*-alkane mixtures
R. Stryjek (Warsaw, Poland)..... 99–114
Calorimetric study of nitro group interactions in alkane solutions. Comparison with DISQUAC predictions
B. Marongiu (Cagliari, Italy), S. Porcedda and H.V. Kehiaian (Paris, France)..... 115–131
Vapor pressure of 11 alkylbenzenes in the range 10^{-3}–280 Torr, correlation by equation of state
H. Kasehgari, I. Mokbel, C. Viton and J. Jose (Villeurbanne, France) 133–152
A simple method for determining the solubility of gases in liquids: application to CO_2–cycloparaffin systems
F. Gironi and R. Lavecchia (Rome, Italy)..... 153–161
Excess volumes and Gibbs free energies of mixtures containing alkanenitriles
S. Dernini, A.M. Polcaro, B. Marongiu and S. Porcedda (Cagliari, Italy)..... 163–175
Isothermal vapour–liquid equilibria of mixtures of organic compounds. Part 8. Excess Gibbs energies of tetrachloromethane + cyclic oxaalkane mixtures at 298.15 K
L. Lepori, E. Matteoli and M.R. Tiné (Pisa, Italy)..... 177–188

Volume 87, No. 2

A consistent procedure for the estimation of properties associated to lumped systems
C.F. Leibovici (Pau, France)..... 189–197

A simple generalization of the binary temperature-dependent interaction parameters in the Soave–Redlich–Kwong and Peng–Robinson equations of state for helium-mixtures
W. Schulze (Braunschweig, Germany) 199–211
BET model for calculating activities of salts and water, molar enthalpies, molar volumes and liquid–solid phase behavior in concentrated electrolyte solutions
M.R. Ally and J. Braunstein (Oak Ridge, TN, USA)..... 213–236
Molecular-thermodynamic reference equations of state
I. Nezbeda (Prague, Czech Republic)..... 237–253
Phase equilibria of the mixtures methane + *n*-hexane + *n*-hexatriacontane, methane + toluene + naphthalene, and methane + *n*-hexane + naphthalene
S.-P. Hong, K. A. Green and K. D. Luks (Tulsa, OK, USA) 255–272
Studies on the thermodynamics of the solvent extraction of metals. Part 5. $\{Tl_2SO_4 + Na_2SO_4 + D_2EHMTPA + n\text{-}C_8H_{18} + \text{water}\}$
J.-Z. Yang, X.-Z. Liu, S.-K. Wang and Z.-Y. Feng (Shenyang, People's Republic of China)..... 273–283
Solubility of 13 non-polar gases (He, Ne, Ar, Kr, Xe, H_2, D_2, N_2, CH_4, C_2H_4, C_2H_6, CF_4 and SF_6) in 2-methyltetrahydrofuran at 273.15 to 303.15 K and 101.33 kPa partial pressure of gas
F. Gibanel, M.C. López, F. M. Royo, J. Pardo and J.S. Urieta (Zaragoza, Spain)..... 285–294
Phase separation in binary mixtures of trifluoromethane with propane, butane and xenon at low temperatures between 200 and 280 K, and at pressures up to 200 MPa
N. Dahmen and G.M. Schneider (Bochum, Germany)..... 295–308
Phase equilibria of fish oil fatty acid ethyl esters and sub- and supercritical CO_2
A. Staby, T. Forskov and J. Mollerup (Lyngby, Denmark) 309–340
Solubility of H_2S in *n*-dodecane
G.-X. Feng and A.E. Mather (Edmonton, Alta., Canada)..... 341–346
Excess volumes and refractions and liquid–liquid equilibria of the ternary system water + ethanol + hexyl acetate
A. Arce, A. Blanco, A. Soto, P. Souza and I. Vidal (Santiago de Compostela, Spain) 347–364
Vapour–liquid equilibrium in the binary system ethanoic acid(1)–4-methyl-2-pentanone(2)
I. Malijevská and K. Chýlková (Prague, Czech Republic)..... 365–377

Letters to the Editor

Comments concerning "The influence of anhydrous cupric chloride on the nature of the interactions between bromoform and 1,4-dioxane"
W.E. Acree, Jr. (Denton, TX, USA) 379–383
Reply to comments concerning "The influence of anhydrous cupric chloride on the nature of the interactions between bromoform and 1,4-dioxane"
P.P. Singh and S. Maken (Rohtak, India) 385–388

Author Index 389

Contents of Volume 87 (1993)..... 391–392